

Since 1975



Anselm turmeda 8

Barcelona 08016

telf. : 93.359.57.35 - 93.276.01.56

<http://www.fundacion-dr-jordi-mas.org>

[fundacion\\_mas\\_manjon@intercom.es](mailto:fundacion_mas_manjon@intercom.es)

## Deep meditation, study of the conscious level in relation to the states of oneiroid and delirious confusion.

RESEARCH DEPARTMENT FOUNDATION 'S MAS i MANJON

### ABSTRACT

There is a relationship of consciousness with high rank in the state of sleep-wake rhythm unpairing.

In the dream state of consciousness slows, it slows down.

Wakefulness increases the frequency of the track and out of sync.

Shows how the pace slows bioelectrical plunging the individual to go into unconsciousness and wakefulness return to the front painful integration.



Frontal release downloads are interlinked with feelings of anxiety, panic suddenly showing buds at the precise moment in these sensations localized to stop by the front integrated system.



(The rise in functional range shown in some painful situations)

### *Meditation deep study of conscious level in relation to the states of oneiroid and delirious confusion.*

In the initial meditative state, an occipital rhythm 8c/seg observed. Rolandic beta and 18 c / sec .,


At the start of meditative exercise, the alpha rhythm rises to 9 c / sec. Rolandic rhythm and 20 to 25 c / s. control.






In the meditative state of deep range, the voltage is increased, showing a gamma of 30 c / sec rhythm., Not varying coordination in all areas, being observed certain paths found in the so-called paradoxical sleep, at the end of the meditative exercise in rank deep, the EEG returns to normal.

During the process of meditative exercise in a deep range, a hyper-clarity is seen in the



mental process leading to a hyper-discrimination.

Sharpness compensation range of mental process with increased tone seen, this is a conservation and discrimination and excess range is not cause in the mental process of confusing character, as may happen in substance induced psychosis pharmacological induction



Must determine that a hyper-excitation of consciousness, with a similar exaltation stuporous states cause consciousness to


sleep by pharmacological induction.

The tone of consciousness, is that accurate to the range of psychic life, accuracy and discrimination.

In the states of confusion and delirious oneiroid electroencephalographic slowing rhythm conform, showing diffuse theta waves correspondingly abolished reactivity closing and opening eyes.

The abolition of reactivity is indicative of a break with reality, seen in states of schizophrenia and autism.

It is a darkening of the conscious level.



In a high level of consciousness range of bio-electrical modifications are observed when the meditative state is in progress in rank.

Hypotonia of consciousness interfaces with a topographical frequency coordination with existence of dominant rhythms, this is shown in states of schizophrenia.

## Bibliography

Corriol, J., et Bert, J., : "L'E. E.C. et schizofrenie", Ann. Med. Psych. París, 108, núme. 5, 588-597.

Foundation Mas i Manjon., Research Department., : LEVEL IV. EXPERIMENTAL SAMPLE: EEG (343) with a variable induction of behavioral -Edition of July 8, 2013-

Foundation Mas i Manjon., Research Department., : -Edition of October 10, 2011- Atlas of Electroencephalography (EEG emotions interact with Brodmann areas)

Foundation Mas i Manjon., Research Department., : Graphics E.E.G. field study of aggressive emotions - emotions of frustration

Foundation Mas i Manjon., Research Department., : Theta rhythm (emotion) and the alpha rhythm (attention) E.E.G

Gastaut, H. : Rev. Neurolog., 21, 287-997.

Gastaut, H. : Electro-encephalogr. Clin. Neurophys., supl. 6, pag. 231.

Gastaut, H. : Dongier, S.: "L'E. E.G. des Schizofrenes".

Leori-Bounes, G.C. : "E.E.G. dans les troubles mentaux de causes orgániques". Encyel. Med. Chyr. Psychiatrie., 37170 G-10-

Rojas Ballesteros, L. : Symposium sobre esquizofrenia. Madrid.

Rousinov, V. S., et Smirnov, G.D. : "Quelques

donnés sur l'étude  
electroencephalographique de l'activité  
nervouse superieure". Marsella, Rev.  
Electroen and clin. neurophys. Suplément 6,  
pag., 13.

Saul, L. J. ; Davis, H., y Davis, M. :  
psychosom. Med., 11, 161-376.

Saul, L. J. ; Davis, H., y Davis, M. :Trans.  
Am.Hourn. Ass., 63, 167.

